

## BE-LONG CORPORATION

P.O.Box 139. Gulou Post office, Nanjing 210008, China

Tel : ++86-25-84712602 Fax: ++86-25-84709922

<http://www.be-longgroup.com>

Email: [business@be-long.com.cn](mailto:business@be-long.com.cn)



# Linear Alkyl Benzene Sulphonic Acid

## MATERIAL SAFETY DATA SHEET

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### 1.1. Identification of the substance or preparation

Product name: [LABSA](#)

INCI name: Dodecylbenzene Sulfonic Acid

Synonyms: Dodecyl Benzene Sulfonic Acid (DBSA); Dodecyl Benzene Sulphonic Acid

Molecular Mass: 326.49

CAS No: 27176-87-0

#### 1.2. Use of the Substance/Preparation

Recommended use: -Dyes

-Surfactant

-Chemical industry

#### 1.3. Company/Undertaking Identification

Address: P.O.Box. 139 Gulou Post Office

Nanjing, 210008 China

#### 1.4. Emergency and contact telephone numbers

Emergency telephone: +86-25-8471 2605

Contact telephone number: +86-25-8471 5120 (Product information)

### 2. Composition/Information on Ingredients

Ingredient	CAS No	Percent	Hazardous
LABSA	42615-29-2	96%	No

### 3. HAZARDS IDENTIFICATION

Harmful if swallowed. Causes burns.

### 4. First Aid Measures

General: Immediately remove contaminated clothing. Rinse with water.

Ingestion: Rinse mouth and provide fresh air. Dilute by drinking milk copiously. Contact physician.

Skin: Wash the skin immediately with soap and water. Get medical attention if any discomfort

*It's worth it, safety comes first.*

## BE-LONG CORPORATION

P.O.Box 139, Gulou Post office, Nanjing 210008, China

Tel : ++86-25-84712602 Fax: ++86-25-84709922

<http://www.be-longgroup.com>

Email: [business@be-long.com.cn](mailto:business@be-long.com.cn)



continues.

Eyes: Promptly wash eyes with plenty of water while lifting the eyelids. Continue to rinse for at least 15 minutes. Get medical attention.

### 5. Fire-Fighting Measures

Extinguishing media: This material is not flammable. Fire can be extinguished using foam, carbon dioxide, sand, dolomite, etc.

Hazardous combustion products: Carbon dioxide (CO<sub>2</sub>), Carbon monoxide (CO), Sulfurous gases (SO<sub>x</sub>).

Protective measures in fire: Cool down the packing. In case of fire, wear self-contained breathing apparatus.

### 6. Accidental Release Measures

Personal precaution: Hand and eye protection. Spilled product gives a slippery surface.

Precautions to protect

environment: Do not discharge product into natural waters without pretreatment.

Spill cleanup methods: Contain with absorbent material and dispose. Flush area with water for smaller spills.

### 7. Handling & Storage

Usage precautions: Avoid spills. Avoid skin and eye contact.

Storage precautions: Keep containers tightly closed. Store at moderate temperatures. Store above 50°C will give darker colour.

### 8. Exposure Controls & Personal Protection

Protective equipment: Protective gloves should be used if there is a risk of direct contact or splash.

Eye protection: Wear approved chemical safety goggles where eye exposure is reasonably probable.

### 9. Physical & Chemical Properties

Appearance: Brown, viscous liquid with a penetrating odour.

Viscosity at 60°C ca. 200 cps.

Viscosity at 20°C ca. 2000 cps.

S.G. at 20°C 1.03 g/ml

Mol. Weight 322 +2

Neutralization # 179 mg KOH/g sulphonic acid

Flash point (°C) >90° (DIN 51758)

pH (1% solution) ca. 1.5

*It's worth it, safety comes first.*

## BE-LONG CORPORATION

P.O.Box 139. Gulou Post office, Nanjing 210008, China

Tel : ++86-25-84712602 Fax: ++86-25-84709922

<http://www.be-longgroup.com>

Email: [business@be-long.com.cn](mailto:business@be-long.com.cn)



### 10. Stability & Reactivity

Reactivity: Reacts with alkalis and generates heat.

Hazardous decomp. products: No hazardous decomposition products.

### 11. Toxicological Information

Health warnings: This chemical may cause skin/eye irritation and burns (corrosive). Gas or vapour may irritate respiratory system . Harmful if swallowed.

### 12. Ecotoxicological Information

LC-50 value for fish: 1-5 mg/l

LC-50 value for Daphnia: 15 mg/l

LC-50 value for algae: 10-300 mg/l

Degradation: Readily biodegradable

Primary biodegradation: MBAS: 93-97%

Total biodegradation: Most: 73-84%

Closed bottle: 55-65%

Sturm: 45-76%

### 13. Disposal Consideration

General/cleaning: Must be disposed of by special means, e.g. suitable incineration, in accordance with local regulations.

### 14. Transport Information

ADR UN No.: 2586

Class No.: 8

Item No.: 34c

Hazard No.: 80 Corrosive or slightly corrosive substance.

IMO UN No.: 2586

IMDG class: 8

Packing gr.: III

EmS No.: 8-06

MFAG No.: 700

IATA UN No.: 2586

ICAO class: 8

Packing gr.: III

**It's worth it, safety comes first.**